


What's new?



drawer system

AXIS PRO

with glass sides and inner front panel

AXIS PRO

glass sides and inner front panel

Interior front panels*

- + Glass front 1100 mm long, in three heights
56 mm, 88 mm, 139 mm
- + The panel is made of non-tempered
glass, which can be easily cut
to any length



- + The perfect solution that allows you
to adjust them to the individual
dimensions of the drawer.
- + Stylish finish in two fashionable colours:
milky white and smoky black
- + Dedicated to drawers with glass sides





Drawers with glass sides

- ⊕ Ready-made set with insteelled glass, no need to cut the glass elements
- ⊕ Glass sides made of tempered glass

- ⊕ Proven, certified product durability confirmed at 60,000 cycles
- ⊕ Full extension in lengths from 300-550 mm








- ⊕ Soft close mechanism and load capacity up to 40 kg for complete comfort
- ⊕ Three fashionable colours: white, anthracite, black

Low inner front panel



*complementary product

NEW






	 H mm	 L mm		
PB-AXISPRO-GLASS-PAWEW-A1	56	1100	white	glass
PB-AXISPRO-GLASS-PAWEW-A2			black	

Medium inner front panel



*complementary product

NEW






	 H mm	 L mm		
PB-AXISPRO-GLASS-PAWEW-B1	88	1100	white	glass
PB-AXISPRO-GLASS-PAWEW-B2			black	

High inner front panel



*complementary product

NEW




	 H mm	 L mm		
PB-AXISPRO-GLASS-PAWEW-C1	139	1100	white	glass
PB-AXISPRO-GLASS-PAWEW-C2			black	

Low inner front connector



*complementary product

NEW




		
PB-AXISPRO-GLASS-WEWMOCA1	white	steel
PB-AXISPRO-GLASS-WEWMOCA	anthracite	

Medium inner front connector



*complementary product

NEW




		
PB-AXISPRO-GLASS-WEWMOCB1	white	steel
PB-AXISPRO-GLASS-WEWMOCB	anthracite	

High inner front connector



*complementary product

NEW






		
PB-AXISPRO-GLASS-WEWMOCC1	white	steel
PB-AXISPRO-GLASS-WEWMOCC	anthracite	

Low inner drawer kit



*complementary product

NEW

	 H mm	 L mm		
PB-AXISPRO-GLASS-ZEWEW-A1	110	1200	white	steel
PB-AXISPRO-GLASS-ZEWEW-A			anthracite	






The kit does not include a glass panel.

Medium inner drawer kit



*complementary product

NEW

	 H mm	 L mm		
PB-AXISPRO-GLASS-ZEWEW-B1	95	1200	white	steel
PB-AXISPRO-GLASS-ZEWEW-B			anthracite	






The kit does not include a glass panel.

High inner drawer kit



*complementary product




NEW




	 H mm	 L mm		
PB-AXISPRO-GLASS-ZEWEW-C1	110	1200	white	steel
PB-AXISPRO-GLASS-ZEWEW-C			anthracite	

The kit does not include a glass panel.









	 L mm	
PB-AXISPRO-GLASS-KPL300A1	300	white
PB-AXISPRO-GLASS-KPL350A1	350	
PB-AXISPRO-GLASS-KPL400A1	400	
PB-AXISPRO-GLASS-KPL450A1	450	
PB-AXISPRO-GLASS-KPL500A1	500	
PB-AXISPRO-GLASS-KPL550A1	550	
PB-AXISPRO-GLASS-KPL300A	300	anthracite
PB-AXISPRO-GLASS-KPL350A	350	
PB-AXISPRO-GLASS-KPL400A	400	
PB-AXISPRO-GLASS-KPL450A	450	
PB-AXISPRO-GLASS-KPL500A	500	
PB-AXISPRO-GLASS-KPL550A	550	
PB-AXISPRO-GLASS-KPL300A2	300	black
PB-AXISPRO-GLASS-KPL350A2	350	
PB-AXISPRO-GLASS-KPL400A2	400	
PB-AXISPRO-GLASS-KPL450A2	450	
PB-AXISPRO-GLASS-KPL500A2	500	
PB-AXISPRO-GLASS-KPL550A2	550	

	 L mm	
PB-AXISPRO-GLASS-KPL300B1	300	white
PB-AXISPRO-GLASS-KPL350B1	350	
PB-AXISPRO-GLASS-KPL400B1	400	
PB-AXISPRO-GLASS-KPL450B1	450	
PB-AXISPRO-GLASS-KPL500B1	500	
PB-AXISPRO-GLASS-KPL550B1	550	
PB-AXISPRO-GLASS-KPL300B	300	anthracite
PB-AXISPRO-GLASS-KPL350B	350	
PB-AXISPRO-GLASS-KPL400B	400	
PB-AXISPRO-GLASS-KPL450B	450	
PB-AXISPRO-GLASS-KPL500B	500	
PB-AXISPRO-GLASS-KPL550B	550	



	 mm	
PB-AXISPRO-GLASS-KPL300C1	300	white
PB-AXISPRO-GLASS-KPL350C1	350	
PB-AXISPRO-GLASS-KPL400C1	400	
PB-AXISPRO-GLASS-KPL450C1	450	
PB-AXISPRO-GLASS-KPL500C1	500	
PB-AXISPRO-GLASS-KPL550C1	550	
PB-AXISPRO-GLASS-KPL300C	300	anthracite
PB-AXISPRO-GLASS-KPL350C	350	
PB-AXISPRO-GLASS-KPL400C	400	
PB-AXISPRO-GLASS-KPL450C	450	
PB-AXISPRO-GLASS-KPL500C	500	
PB-AXISPRO-GLASS-KPL550C	550	
PB-AXISPRO-GLASS-KPL300C2	300	black
PB-AXISPRO-GLASS-KPL350C2	350	
PB-AXISPRO-GLASS-KPL400C2	400	
PB-AXISPRO-GLASS-KPL450C2	450	
PB-AXISPRO-GLASS-KPL500C2	500	
PB-AXISPRO-GLASS-KPL550C2	550	



GTV

hinge

SILENTO PRO

without spring



⊕ Perfect for handle-free applications.

⊕ Guide plate clip-on mounted.

⊕ Easy adjustment allows configuring the hinge according to your needs.



Types of hinges:





Inset



Twin



Overlay

	
ZP-SLCA07-3D	GTV SILENTO PRO inset hinge, without spring, without plate, 3D, clip-on
ZP-SLCA08-3D	GTV SILENTO PRO twin hinge, without spring, without plate, 3D, clip-on
ZP-SLCA09-3D	GTV SILENTO PRO overlay hinge, without spring, without plate, 3D, clip-on
ZP-SLCA07-3DBEO	GTV SILENTO PRO inset hinge, without spring, plate H=0, 3D, polybag, clip-on, without euro
ZP-SLCA08-3DBEO	GTV SILENTO PRO twin hinge, without spring, plate H=0, 3D, polybag, clip-on, without euro
ZP-SLCA09-3DZEO	GTV SILENTO PRO overlay hinge, without spring, plate H=0, 3D, polybag, clip-on, with euro
ZP-SLCA09-3DBEO	GTV SILENTO PRO overlay hinge, without spring, plate H=0, 3D, polybag, clip-on, without euro

Available accessories:



Guide plates



Caps

	
PZ-HCSL3D-H0-BEO	GTV guide plate for SILENTO PRO, H0, 3D, clip-on, without euro
PZ-HCSL3D-H0-M5	GTV guide plate for SILENTO PRO, H0, 3D, clip-on, with M5 sleeves
PZ-HCSL-H0-BEO	GTV guide plate for SILENTO PRO, H0, clip-on, without euro
PZ-HCSL-H0-M5	GTV guide plate for SILENTO PRO, H0, clip-on, with M5 sleeves
PZ-HCSL-H0-ZEO	GTV guide plate for SILENTO PRO, H0, clip-on, with euro
ZM-COVERHCSL-SET	GTV SILENTO PRO caps, for hinge, set

GTV

SILENTO PRO

hinge for aluminum frames



- ⊕ New soft-close mechanism – operation starts from the slightest front tilt.
- ⊕ Two-way – mechanism that protects adjacent furniture and the wall.

- ⊕ Clip-on mounting plate.
- ⊕ Easy adjustment allows hinge configuration according to individual needs.



- ⊕ Opening angle – 102°
- ⊕ Application – for aluminum frames.



Types of hinges:



Recessed



Twin



Overlay

	
ZM-HCSLRALU07-3D	GTV SILENTO PRO recessed hinge, alu frame, soft-close, no mounting plate, 3D, clip-on
ZM-HCSLRALU07-3D-20	GTV SILENTO PRO recessed hinge, alu frame, soft-close, no mounting plate, 3D, black
ZM-HCSLRALU08-3D	GTV SILENTO PRO twin hinge, alu frame, soft-close, no mounting plate, 3D, clip-on
ZM-HCSLRALU08-3D-20	GTV SILENTO PRO twin hinge, alu frame, soft-close, no mounting plate, 3D, black
ZM-HCSLRALU09-3D	GTV SILENTO PRO overlay hinge, alu frame, soft-close, no mounting plate, 3D, clip-on
ZM-HCSLRALU09-3D-20	GTV SILENTO PRO overlay hinge, alu frame, soft-close, no mounting plate, 3D, black
ZM-HCSLRALU07-3DBEO	GTV SILENTO PRO recessed hinge, alu frame, soft-close, H=0 mounting plate, 3D, polybag, clip-on, no euro screws
ZM-HCSLRALU07-3DBEO-20	GTV SILENTO PRO recessed hinge, alu frame, soft-close, H=0 mounting plate, 3D, polybag, no euro screws, black
ZM-HCSLRALU08-3DBEO	GTV SILENTO PRO twin hinge, alu frame, soft-close, H=0 mounting plate, 3D, polybag, clip-on, no euro screws
ZM-HCSLRALU08-3DBEO-20	GTV SILENTO PRO twin hinge, alu frame, soft-close, H=0 mounting plate, 3D, polybag, no euro screws, black
ZM-HCSLRALU09-3DBEO	GTV SILENTO PRO overlay hinge, alu frame, soft-close, H=0 mounting plate, 3D, polybag, clip-on, no euro screws
ZM-HCSLRALU09-3DBEO-20	GTV SILENTO PRO overlay hinge, alu frame, soft-close, H=0 mounting plate, 3D, polybag, no euro screws, black

Accessories:



Mounting plates



Caps

	
PZ-HCSL3D-H0-BEO	GTV Mounting plate for SILENTO PRO, H0, 3D, clip-on, without Euro screws
PZ-HCSL3D-H0-BEO-20	GTV SILENTO PRO Mounting plate for hinge, H=0, eccentric adjustment, clip-on, without Euro screws, black
PZ-HCSL3D-H0-M5	GTV Mounting plate for SILENTO PRO, H0, 3D, clip-on, with M5 dowels
PZ-HCSL3D-H0-M5-20	GTV Mounting plate for SILENTO PRO, H0, 3D, clip-on, with M5 dowels, black
PZ-HCSL-H0-BEO	GTV Mounting plate for SILENTO PRO, H0, clip-on, without Euro screws
PZ-HCSL-H0-BEO-20	GTV SILENTO PRO Mounting plate for hinge, H=0, clip-on, without Euro screws, black
PZ-HCSL-H0-M5	GTV Mounting plate for SILENTO PRO, H0, clip-on, with M5 dowels
PZ-HCSL-H0-M5-20	GTV SILENTO PRO Mounting plate for hinge, H=0, clip-on, with M5 dowels, black
PZ-HCSL-H0-ZEO	GTV Mounting plate for SILENTO PRO, H0, clip-on, with Euro screws
PZ-HCSL-H0-ZEO-20	GTV SILENTO PRO Mounting plate for hinge, H=0, clip-on, with Euro screws, black
ZM-COVERHCSL-SET	GTV SILENTO PRO Caps for hinge, set
ZM-COVERHCSL-SET-20	GTV SILENTO PRO Caps for hinge, set, black



GTV


SILENTO PRO

155° Angled Hinge



- ⊕ New soft-close mechanism
- operates even with minimal front movement
- ⊕ Two-way - protects adjacent furniture and the wall

- ⊕ Guide rail attached with clip-on.
- ⊕ Easy adjustment allows configuration of the hinge according to individual needs.
- ⊕ Opening angle – 155°





- ⊕ Three-dimensional adjustment
- precise alignment with the front.
- ⊕ Easy installation thanks to the universal drilling template ZM-SZABLON-ZAW.

Types of hinges:





Overlay


	
ZM-HCSLKT155-3D	GTV SILENTO PRO overlay hinge, 155°, soft-close, no plate, 3D, clip-on
ZM-HCSLKT155-3DBEO	GTV SILENTO PRO overlay hinge, 155°, soft-close, plate H=0, 3D, polybag, clip-on, without Euro screws
ZM-HCSLKT155-3DZEO	GTV SILENTO PRO overlay hinge, 155°, soft-close, plate H=0, 3D, polybag, clip-on, with Euro screws

Available accessories:




Mounting plates

	
PZ-HCSL3D-H0-BEO	GTV mounting plate for SILENTO PRO, H0, 3D, clip-on, without Euro screws
PZ-HCSL3D-H0-M5	GTV mounting plate for SILENTO PRO, H0, 3D, clip-on, with M5 inserts
PZ-HCSL-H0-BEO	GTV mounting plate for SILENTO PRO, H0, clip-on, without Euro screws
PZ-HCSL-H0-M5	GTV mounting plate for SILENTO PRO, H0, clip-on, with M5 inserts
PZ-HCSL-H0-ZEO	GTV mounting plate for SILENTO PRO, H0, clip-on, with Euro screws



- ⊕ NEW COLOURS: the collection has been expanded with cashmere and brushed steel finishes.
- ⊕ Modern handles with rounded edges.

- ⊕ Edge handles allow for a subtle integration effect between the profile and the furniture front.
- ⊕ The collection is distinguished by its elegant, simple design, perfect for modern interiors.



- ⊕ Handles available in spacing: 32, 96, 160, 192 mm and in a 1200 mm length.

	 C mm	 L mm		
UA-HEXA-32-23	32 mm	50 mm	cashmere	aluminium
UA-HEXA-96-23	96 mm	150 mm		
UA-HEXA-160-23	160 mm	190 mm		
UA-HEXA-192-23	192 mm	225 mm		
UA-HEXA-1200-23	3×352 mm	1200 mm		
UA-HEXA-32-06	32 mm	50 mm	brushed steel	
UA-HEXA-96-06	96 mm	150 mm		
UA-HEXA-160-06	160 mm	190 mm		
UA-HEXA-192-06	192 mm	225 mm		
UA-HEXA-1200-06	3×352 mm	1200 mm		



ANCHOR







- ⊕ Classic leg in a modern version - distinguished by its characteristic angled shape, which adds style and character to furniture. The leg has a cylindrical shape and tapers towards the bottom.

- ⊕ Made from high-quality steel, ensuring its durability and functionality.
- ⊕ The leg has been coated with varnish, providing an elegant appearance and additional protection.
- ⊕ Ideal and functional support for any sofa, armchair, or chest of drawers in any room.



- ⊕ The leg ends with a plastic foot that protects the floor from scratches and stabilizes the furniture.
- ⊕ Available in four heights: 100 mm, 120 mm, 130 mm, and 150 mm, allowing for the leg to be tailored to various furniture.
- ⊕ Color: classic matte black.

	 H mm		
NM-ANCHOR-100-20M	100	matte black	steel + plastic
NM-ANCHOR-120-20M	120		
NM-ANCHOR-130-20M	130		
NM-ANCHOR-150-20M	150		



furniture legs **FORM**







- ⊕ Modern, subtle leg that stands out with its slender shape.
- ⊕ The leg adds elegance and lightness to furniture through its unique, angled design.

- ⊕ Made from high-quality steel, ensuring its durability and functionality.
- ⊕ The FORM leg ends with a plastic foot that protects the floor from scratches and stabilizes the furniture.



- ⊕ This leg is an ideal and practical support for any sofa, armchair, and chest of drawers.
- ⊕ Color: classic matte black.
- ⊕ Dimensions: 46 x 138 mm, height: 150 mm.

			
NM-FORM-150-20M	150 mm	matte black	steel + plastic



furniture legs **SPIRE**



- ⊕ Leg with a modern, stylish design. It features a cylindrical shape that tapers towards the bottom.
- ⊕ Made from high-quality steel, ensuring its durability and functionality.

- ⊕ The leg has been coated with paint (black version) or zinc (gold version). Painting and galvanization protect against corrosion, extend the leg's lifespan, and enhance durability, providing additional protection.



- ⊕ The Spire leg ends with a plastic foot that protects the floor from scratches and stabilizes the furniture.
- ⊕ Colors: classic matte black and brushed gold.
- ⊕ Dimensions: 80 x 80 mm, height: 130 mm.



			
NM-SPIRE-130-20M	130 mm	matte black	steel + plastic
NM-SPIRE-130-18	130 mm	brushed gold	steel + plastic



STABILIS







- ⊕ Elegant leg with a unique design. Characterized by a simple, rounded shape.
- ⊕ Made from high-quality steel, ensuring its durability and functionality.

- ⊕ The leg has been coated with varnish, providing an elegant appearance and additional protection.
- ⊕ Provides ideal and functional support for upholstered furniture and cabinets.



- ⊕ The leg ends with a plastic foot that protects the floor from scratches and stabilizes the furniture.
- ⊕ Available in two heights: 120 mm and 150 mm.

	 H mm		
NM-STABILIS-120-20M	120 mm	matte black	steel + plastic
NM-STABILIS-150-20M	150 mm		



furniture legs

SQUARE







- ⊕ Simple leg with a subtle cylindrical shape that tapers towards the bottom.
- ⊕ Made from high-quality steel, ensuring its durability and functionality.

- ⊕ The leg has been coated with varnish, providing an elegant appearance and additional protection.
- ⊕ Its shape perfectly complements any sofa, armchair, or chest of drawers.



- ⊕ The Square leg ends with a plastic foot that protects the floor from scratches and stabilizes the furniture.
- ⊕ Color: classic matte black.
- ⊕ Dimensions: 100 x 100 mm, height: 150 mm.



			
NM-SQUARE-150-20M	150 mm	matte black	steel + plastic



furniture legs **STAR**







- ⊕ Modern leg with a distinctive angled shape and original star-like design.
- ⊕ Made from high-quality steel, ensuring its durability and functionality.

- ⊕ The leg has been coated with varnish, providing an elegant appearance and additional protection.
- ⊕ The unique structure of the leg gives furniture style and character.
- ⊕ Perfectly serves as an elegant and practical support for any sofa, armchair, and chest of drawers.



- ⊕ The leg ends with a plastic foot that protects the floor from scratches and stabilizes the furniture.
- ⊕ Color: classic matte black.

	 H mm		
NM-STAR-105-20M	105 mm	matte black	steel + plastic
NM-STAR-125-20M	125 mm		
NM-STAR-135-20M	135 mm		
NM-STAR-155-20M	155 mm		




Fixture LED

POINT







- ⊕ Made of high-quality aluminum ensuring durability and a modern look.
- ⊕ Compatible with the Easy Click system.

- ⊕ Adjustable beam angle 50°.
- ⊕ 25° focusing lens.
- ⊕ Power supply: 12V DC, 1.2W, 1x3030 LED.



- ⊕ Colour temperature: 4000K.
- ⊕ Cable length: 1.5 m.
- ⊕ Colour: black.

			
LD-PO-20	1,2 W	65 lm	30 g



POINT MINI







DIAMENT
meblarstwa
2025


- ⊕ Made of high-quality aluminum ensuring durability and a modern look.
- ⊕ Compatible with the Easy Click system.

- ⊕ Adjustable beam angle of 60°.
- ⊕ Light focusing lens 25°.
- ⊕ Power supply: 12V DC, 0.5W, 1x2835 LED.



- ⊕ Color temperature: 4000K.
- ⊕ Cable length: 2 m.
- ⊕ Colour: black.

			
LD-POM-20	0,5 W	40 lm	30 g



Furniture Socket **BASCO**







- ⊕ Desktop socket with mounting.
- ⊕ Socket mounted on the edge of a countertop with a thickness from 5 mm to 50 mm. No drilling required.

- ⊕ Equipped with 3x Schuko socket with grounding or USB A+C ports.



- ⊕ Colours: white and black.
- ⊕ Cable length: 1.5 m.



			
AE-GMBAS3S2U-10	schuko	USB-A + USB-C	625 g
AE-GMBAS3S2U-20			
AE-GMBAS3U2U-10	french	USB-A + USB-C	625 g
AE-GMBAS3U2U-20			



Furniture Socket

SOFITO







DIAMENT
meblarstwa
2025

- ⊕ Made of high-quality brushed aluminum or finished with a soft-touch flock.

- ⊕ Equipped with a USB A+C FAST Charge charger with a power of 30 W, allowing for quick and convenient charging of all devices.



- ⊕ Easy installation, no need to drill holes.
- ⊕ Cable length: 1.5 m.

			
AE-GMSOF2S2U-31	schuko	USB-A + USB-C	960 g
AE-GMSOF2S2U-51			



Furniture Socket **RONDO**







- ⊕ Round socket recessed into the countertop.
- ⊕ The variety of ports ensures a wide range of functionality.

- ⊕ Equipped with a Schuko socket, USB A, and two USB C ports.
- ⊕ Equipped with an RJ45 and HDMI socket.



- ⊕ Colours: white and black.
- ⊕ Cable length: 1.5 m.

			
AE-GMRON1S3URH-10	schuko	USB-A + USB-C	460 g
AE-GMRON1S3URH-20			



Furniture Socket

MULTISOFT



⊕ An addition to the SOFT socket family.

⊕ Distinguished by its multifunctionality due to various ports.


⊕ Equipped with 2x Schuko sockets or with grounding.

⊕ Flush-mounted tabletop socket, easy installation.



⊕ USB A+C, RJ45 ports or HDMI option.

⊕ Colours: white, black, and aluminum.



				
AE-PBSUR2GS-20	2 x schuko	USB A+C, RJ45	aluminum/ plastic	
AE-PBSUR2GS-10				
AE-PBSUR2GS-53				
AE-PBSUR2GU-20	2 x french			
AE-PBSUR2GU-10				
AE-PBSUR2GU-53				
AE-PBSURH2GS-20	2 x schuko			
AE-PBSURH2GS-10				
AE-PBSURH2GS-53				
AE-PBSURH2GU-20	2 x french			
AE-PBSURH2GU-10				
AE-PBSURH2GU-53				



Dimmable Touch Switch **RING**






- ⊕ Dedicated switch for turning on, off, and dimming LED fixtures and LED strips.
- ⊕ Dimming function activated by pressing and holding the switch.

- ⊕ Easy to mount and connect.
- ⊕ Aesthetic finish and minimalist design make this switch a universal component for installations.
- ⊕ Comes with 2x2m cables with mini amp connectors.




- ⊕ For a 12V supply, the maximum load of the switch is 36W. For a 24V supply, the switch can handle a light source up to 72W.
- ⊕ Colour: black with chrome frame.

			
AE-WDRIN-20	12 V/ 24 V	3A	plastic




Edge Dimmable Touch Switch **BORD**






- ⊕ Used for turning on, off, and dimming LED light fixtures and strips.
- ⊕ A short touch turns the light on or off, while a long touch dims or brightens the lighting.
- ⊕ Power supply: 12V, 24V, max 16A.

- ⊕ Aesthetic finish and minimalist design make this switch a universal element for installations.
- ⊕ Mounted under the counter or shelf.
- ⊕ Comes with 2x2m cables with mini amp connectors.



- ⊕ For 12V, the maximum load of the switch is 36W. At 24V, the switch can connect to a light source up to 72W.
- ⊕ Colour: silver.
- ⊕ Protection rating: IP 20.

			
AE-WDKBOR-53	12V/24V	3A	plastic

-  IP20
-  inside
-  III
-  2x2 m
-  - +
-  28 g




TOUCHLESS DIMMABLE SWITCH FOR LED PROFILES








- ⊕ Enables quick and easy mounting of LED strips with a „click”.



- ⊕ Switch with COB connector.
- ⊕ Power supply: 12 V and 24 V, max. 3A or 5 A.



- ⊕ Option with a cable length of 15 cm, 2 m or without cable.

				
AE-WLPRKON-60	5 A	max 60 W 12 V max 120 W 24 V	12 V/24 V	plastic
AE-WLPRKON-60P15	3 A	max 36 W 12 V max 72 W 24 V		
AE-WLPRKON-60P200	3 A			

